

EXPERIENCE WATER COMING TO LIFE WITH SUPERIOR TECHNOLOGY

PRESENTING WATER COOLER & DISPENSER RANGE







ushawatersolutions.com



USHA COCE



USHA WATER COOLERS

POWERED TO PERFORM.

MADE TOUGH TO OUTPERFORM.

Usha's range of water coolers is designed to deliver like no other. While their efficient design and rugged body gives them a long life, their low power consumption and fast cooling gives you a best-in-class experience, every time.





TOUCHLESS DISPENSING. DESIGNED FOR SAFETY. STYLED FOR COMPLIMENTS.

4080G VCM SENSOR

Designed to ensure safe and contactless dispensing at all times, the new touchless VCM water cooler is environment friendly and consumes less power. Suited for a dash of colour to brighten up your space, the model comes with bright design aesthetics, food-grade stainless steel tank and chrome-plated brass faucets to ensure safe drinking water and a longer product life.



Touchless dispensing

Sensor based contactless dispensing

Premium floral orchid design aesthetics

Food grade stainless steel tank Durable chrome plated brass faucets



*Contactless dispensing only,the actual faucet design may differ.

POWER CONSUMPTION 450 W

> REFRIGERANT R-134a

> > (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING 40 L / h

STORAGE CAPACITY 80 L

NUMBER OF FAUCETS

TOUCHLESS



MEET THE MULTI-PERFORMER

MULTIFAUCET

A high-performing multi faucet water cooler with faucets on all three sides for rush-hour use, this model offers convenience of use for all kind of users including kids and ensures safe drinking water at all times. The stainless steel body gives this model a longer product life.

Faucets at varied heights

to cater to all

kinds of users,

including kids

Triple face design
with taps on
three sides for
convenience
during rush hours

Greater spacing between the tap and tray for easy filling of bottles up to 1 litre Anticorrosive
blue fin
condenser
for power
efficient
cooling

REFRIGERANT

R-134a (Non CFC)

POWER CONSUMPTION 450 W

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING 40 L / h

STORAGE CAPACITY 80 L

NUMBER OF FAUCETS

4





*The picture is a two dimensional image of the product

SAFETY WITH CONTACTLESS WATER DISPENSING

SENSOR TOUCHLESS

Designed for safe and contactless dispensing, this water cooler is ergonomically designed with a rugged stainless-steel body and anticorrosive blue fins for a longer product life.

Sensor-based contactless dispensing

Anticorrosive blue fins on condenser for longer life

Stainless steel body for longer product life

Ergonomic design

Lockable top lid

Touchless dispensing

AVAILABLE SENSOR

TOUCH BASED OPTIONS

*SS 4080 SS 4080 VCM *SS 4080 SS 4080 VCM 6080 B 6080 B with Power without Power without Power without Power Backup Backup Backup Backup Backup Backup

POWER CONSUMPTION 450 W & 775 W

> REFRIGERANT R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING 40 L/h & 60 L/h

STORAGE CAPACITY 80 L

NUMBER OF FAUCETS

2

TOUCHLESS





*Also available in floral wine color

*Contactless dispensing only,the actual faucet design may differ.

TOP IN PERFORMANCE AND LOOKS TOO

SS2020BG

Ergonomically designed for greater safety and more operational convenience through its hybrid design, this water cooler is also environment friendly and boasts a longer product life, ensuring that you always have pure drinking water.

Comes with a reliable reciprocating compressor for longer product life

Specially

designed float

valves made of

food-grade

plastic

High-quality stainless steel tank and components for safe water

with top mounting water bottle option for convenience

Hybrid model

Adjustable pedestals made of highly non-corrosive and strong material



REFRIGERANT R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz
1 Phase AC

RATE OF COOLING 20 L / h

STORAGE CAPACITY 20 L

NUMBER OF FAUCETS

211



SP2040G

Enjoy the convenience of faster cooling with this water cooler. Equipped with superior grooved copper tubes, it comes with a high efficiency compressor that consumes less power while its steel body and condenser coil blue fin technology ensure a longer product life.



POWER CONSUMPTION

390 W

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING

20 L / h

STORAGE CAPACITY 40 L

NUMBER OF FAUCETS



SS2040G/NC

Ergonomically designed, this water cooler cools water faster while its superior grooved copper tubes and high-efficiency compressor consumes less power. Its steel body and condenser coil blue fin technology ensures a longer product life.



POWER CONSUMPTION 390 W

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING 20 L / h

STORAGE CAPACITY 40 L

NUMBER OF FAUCETS 1/2



Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made

of highly non-corrosive and strong

SP4080

Designed for faster cooling, this model has superior grooved copper tubes and a high-efficiency compressor that ensures less power consumption. The stainless steel body and blue fin condenser coil technology ensure a longer product life.



POWER CONSUMPTION

450 W

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING

40 L / h

STORAGE CAPACITY 80 L

NUMBER OF FAUCETS

2



SS4080

Ergonomically designed for greater safety and more operational convenience, this water cooler is also environment friendly and boasts a longer product life, ensuring that you always have pure drinking water.



POWER CONSUMPTION 450 W

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING 40 L / h

STORAGE CAPACITY 80 L

NUMBER OF FAUCETS

2



Comes
with a reliable
reciprocating
compressor
for longer
product life

High-quality stainless steel tank and components for safe water Water inlet hosepipe and overflow pipes provided with the unit Specially designed float valves made of food-grade plastic Adjustable
pedestals made
of highly
non-corrosive
and strong
material

Comes
with a reliable
reciprocating
compressor
for longer
product life

High-quality stainless steel tank and components for safe water Water inlet hosepipe and overflow pipes provided with the unit Specially designed float valves made of food-grade plastic

Adjustable
pedestals made
ade of
rade
ic and strong
material



SP6080

Ergonomically designed, this water cooler cools water faster. Its superior grooved copper tubes and high-efficiency compressor consumes less power, while its stainless steel body and condenser coil blue fin technology gives it a longer product life.



POWER CONSUMPTION

775 W

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING

60 L / h

STORAGE CAPACITY 80 L

NUMBER OF FAUCETS

2



SS6080

Ergonomically designed for greater safety and more operational convenience, this water cooler is also environment friendly and boasts a longer product life, ensuring that you always have pure drinking water.



POWER CONSUMPTION 775 W

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING 60 L / h

STORAGE CAPACITY 80 L

NUMBER OF FAUCETS

2

XL

Comes
with a reliable
reciprocating
compressor
for longer
product life

High-quality stainless steel tank and components for safe water Water inlet hosepipe and overflow pipes provided with the unit Specially designed float valves made of food-grade plastic Adjustable
pedestals made
of highly
non-corrosive
and strong
material

Comes
with a reliable
reciprocating
compressor
for longer
product life

High-quality stainless steel tank and components for safe water Water inlet
hosepipe and
overflow pipes
provided with
the unit

Specially designed float valves made of food-grade plastic

Adjustable
t pedestals made
of of highly
non-corrosive
and strong
material

SP60120

Enjoy faster cooling, greater safety, and convenience with this ergonomically designed water cooler. Its superior grooved copper tubes and high-efficiency compressor consumes less power while its steel body and condenser coil blue fin technology ensure a longer product life.



POWER CONSUMPTION

775 W

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING

60 L / h

STORAGE CAPACITY 120 L

NUMBER OF FAUCETS

2



Comes High-quality with a reliable reciprocating tank and compressor components for for longer safe water

product life

Water inlet
hosepipe and
overflow pipes
provided with
the unit

Specially designed float valves made of food-grade plastic Adjustable
pedestals made
of highly
non-corrosive
and strong
material

SS60120

Ergonomically designed for greater safety and operational convenience, this water cooler is environment friendly and boasts a longer product life to give you pure drinking water, always.



775 W

POWER CONSUMPTION

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING 60 L / h

STORAGE CAPACITY 120 L

NUMBER OF FAUCETS

(XL

Comes
with a reliable
reciprocating
compressor
for longer
product life

High-quality stainless steel tank and components for safe water Water inlet hosepipe and overflow pipes provided with the unit Specially designed float valves made of food-grade plastic Adjustable pedestals made of highly non-corrosive and strong material

SP150150G

Enjoy faster cooling, greater safety and convenience with this ergonomically designed water cooler. Its superior grooved copper tubes and high-efficiency compressor consumes less power while its steel body and condenser coil blue fin technology ensures a longer product life.



POWER CONSUMPTION 1 550 W

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING 150 L / h

STORAGE CAPACITY 150 L

NUMBER OF FAUCETS



SS150150G

Ergonomically designed for greater safety and operational convenience, this water cooler is environment friendly and boasts a longer product life so that you always have pure drinking water.



POWER CONSUMPTION 1 550 W

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING 150 L / h

STORAGE CAPACITY 150 L

NUMBER OF FAUCETS

XXL

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

SP170400NC

Enjoy the convenience of faster cooling with this ergonomically designed water cooler. Its superior grooved copper tubes and high efficiency compressor consumes less power while its steel body and condenser coil blue fin technology ensures a longer product life.



POWER CONSUMPTION 1 550 W

REFRIGERANT

R-22 R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING 170 L / h

STORAGE CAPACITY
400 L

NUMBER OF FAUCETS



Comes
with a reliable
reciprocating
compressor
for longer
product life

High-quality stainless steel tank and components for safe water Water inlet hosepipe and overflow pipes provided with the unit Specially designed float valves made of food-grade plastic Adjustable pedestals made of highly non-corrosive and strong material

SS170400NC

Ergonomically designed for greater safety and operational convenience, this water cooler is environment friendly and boasts a longer product life so that you have pure drinking water, always.



Comes
with a reliable
reciprocating
compressor
for longer
product life

High-quality stainless steel tank and components for safe water Water inlet hosepipe and overflow pipes provided with the unit Specially designed float valves made of food-grade plastic

ially Adjustable
d float pedestals made
nade of of highly
nrade non-corrosive
tic and strong
material

POWER CONSUMPTION 1 550 W

REFRIGERANT

R-22 R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

RATE OF COOLING 170 L / h

STORAGE CAPACITY
400 L

NUMBER OF FAUCETS





USHA WATER DISPENSERS

TECHNOLOGY YOU CAN TRUST

Usha water dispensers are the perfect choice for your office space, promising best-in-class cooling while consuming less power.









A TALL STANDING WATER DISPENSER **ERGONOMICALLY DESIGNED** TO PUT LESS PRESSURE ON YOUR BACK

I SENSE

A performance-driven tall digital dispenser, I Sense comes with bottom loaded Water bottle compartment to avoid heavy lifting of water bottles. The soft push buttons placed at a convenient height ensure maximum comfort of use, thereby preventing backache troubles.

1.3 m tall height dispensing to prevent backache problems

Bottom loading water bottle compartment to avoid heavy weightlifting

Programmed water dispensing in 200 mL / 300 mL / 400 mL / 500 mL capacity for measuring everyday glass of health

water dispensing hot water: up to 85°C, cold water: up to 15°C

> **CFC** free eco-friendly R-134a refrigerant

Digital control



RATE OF COOLING/HEATING

STORAGE CAPACITY

€1 L





REFRIGERANT

R-134a (CFC free)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

POWER CONSUMPTION

₩ 90 W 6580 W



CONTACTLESS AND FLAWLESS IN EVERY SENSE.

INSTAFRESH SENSOR

A sleek and compact water dispenser with sensor-based dispensing for safety, this model comes with anti-rust faucets and CFC free refrigerants to provide eco-friendly water solutions.

Sensor technology for contactless dispensing

Compact and sleek design suitable for office or household

> **Anti-rust** faucets

Individual faucets for hot, normal and cold water for ease of operation

CFC free eco-friendly R-134a refrigerant



Touchless Dispensing

The distance between the hand and the sensor





NUMBER OF FAUCETS

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

POWER CONSUMPTION

₩ 90 W **♦** 580 W

RATE OF COOLING/HEATING

STORAGE CAPACITY

₩1 L

TOUCHLESS



INSTAFRESH

FLOOR STANDING

Designed for convenience and safety, the instafresh is an easy to use water dispenser that comes with individual faucets for hot, cold and normal water. Its CFC free eco-friendly refrigerant makes it an environment friendly product.



NUMBER OF FAUCETS

REFRIGERANT

R-134a

(Non CFC)

INSTAFRESH

FLOOR STANDING WITH COOLING CABINET

Ideal for use in movie halls, cafeterias, colleges, pantries, and more, Instafresh is a compact and easy to operate water dispenser with an 18 L cooling cabinet for storing beverages. Ensuring safe drinking water at all times, this model offers best cooling experience even in hot Indian conditions.

NUMBER OF FAUCETS

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

POWER CONSUMPTION

₩ 100 W 6 500 W

RATE OF COOLING/HEATING

STORAGE CAPACITY

€1 L

Also available in Wine red color

Compact and sleek design to fit into any setting

Individual faucets for hot, normal and

Designed for efficient cooling even in hot indian conditions

Safety lock on hot water faucet

CFC free eco-friendly R-134a refrigerant

Also available in

Wine red color

18 L cooling cabinet with beverages

Compact and sleek design to fit into any setting

Individual faucets for hot, normal and cold water

USHA

Safety lock on hot water faucet

CFC free eco-friendly R-134a refrigerant



temperature ≤ 14°C for storing

AQUAGENIE

FLOOR STANDING

Enjoy hot and cold water whenever you want with the Aquagenie+, a sleek and compact water dispenser that cares for your family's safety and health. The model comes with a child lock on hot water faucet to ensure the safety of use and the anti-rust faucets always provide safe drinking water.



NUMBER OF FAUCETS

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

POWER CONSUMPTION

₩ 100 W 6 500 W

RATE OF COOLING/HEATING

※2.5L/h %5L/h

STORAGE CAPACITY

AQUAGENIE

FLOOR STANDING WITH COOLING CABINET

Enjoy safe drinking water with the Aquagenie+, a sleek and compact water dispenser with 18 L cooling cabinet for storing your cold beverages. This model comes with a safety lock on hot water faucet and always ensures safety and convenience.



NUMBER OF FAUCETS

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

POWER CONSUMPTION

₩ 120 W 6 500 W

RATE OF COOLING/HEATING

※2.5L/h ♦ 5L/h

STORAGE CAPACITY

₩ 3.5 L

₩1 L



Compact and sleek design to fit into any setting

Individual faucets for hot, normal and cold water

Safety mesh for rodent control

Safety lock on hot water faucet

CFC free eco-friendly R-134a refrigerant

18 L Cooling cabinet with temperature upto 14°C for storing beverages

Compact and sleek design to fit into any setting

Safety mesh for rodent control Safety lock on hot water faucet

CFC free eco-friendly R-134a refrigerant



LAGUNA

FLOOR STANDING

This sleek water dispenser is designed to fit into any setting, whether it be your office or household. Equipped with CFC free eco-friendly refrigerant, this model comes with child lock hot water faucets for extra safety and ensures ensures safe drinking water at all times.



NUMBER OF FAUCETS

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

POWER CONSUMPTION

₩ 100 W 6 500 W

RATE OF COOLING/HEATING

3 L/h **6** 5 L/h

STORAGE CAPACITY

₩ 3.5 L ₩1 L

LAGUNA

FLOOR STANDING WITH COOLING CABINET

This water dispenser is sleek and compact, occupies less space, and is suitable for any place. Its high cooling capacity and cold water storage helps with efficient cooling even in hot Indian conditions, ensuring cool, pure drinking water always.



NUMBER OF FAUCETS

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

POWER CONSUMPTION

₩ 120 W 6 500 W

RATE OF COOLING/HEATING

₩3L/h %5L/h

STORAGE CAPACITY

₩ 3.5 L

⊘1 L



Single faucet

Anti rodent power cord Safety lock on hot water faucet

CFC free eco-friendly R-134a refrigerant


18 L Cooling cabinet with temperature upto 14°C for storing beverages

Single faucet dispensing for convenience

Hot water temperature up to 85°C suitable for making tea or coffee

Safety lock on hot water faucet

CFC free eco-friendly R-134a refrigerant



Hot water temperature up to 85°C suitable for making tea or coffee

INSTAFRESH

TABLE TOP

Designed for greater
convenience and safety, the
Instafresh Table Top is an easy
to use water dispenser that
comes with individual faucets
for Hot, Cold and Normal water.
It is ideal for domestic use as
well as for use in public places
like theatres, canteens, offices
and more.



NUMBER OF FAUCETS

3

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

POWER CONSUMPTION

※ 90 W **♦** 500 W

RATE OF COOLING/HEATING

STORAGE CAPACITY

₩3L



AQUAGENIE

TABLE TOP /

Ideal for use in colleges, movie halls, pantries, cafeterias and more, the Aquagenie+ is a sleek and compact water dispenser that cares for your safety and health. Its child lock hot water faucets and anti-rust dispenser along with its CFC free eco-friendly refrigerant makes it a safe and environment friendly water solution.

NUMBER OF FAUCETS

3

REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

POWER CONSUMPTION

※ 100 W ♦ 500 W

RATE OF

COOLING/HEATING

2.5 L/h

5 L/h

STORAGE CAPACITY

₩ 3.2 L

⊘1 L



Compact and sleek design to fit into any setting

Designed for efficient cooling even in hot indian conditions

Safety mesh for rodent control Child lock on hot water faucets

CFC free eco-friendly R-134a refrigerant Compact and sleek design to fit into any setting

Individual faucets for hot, normal and cold water Individual faucets for hot, normal and cold water Child lock on hot water faucets

CFC free eco-friendly R-134a refrigerant

LAGUNA **TABLE TOP**

This tabletop water dispenser is sleek and compact, occupies less space and is suitable for personal and professional use. It ensures efficient cooling so that you have cool, pure drinking water always, even in hot Indian conditions.

Hot water temperature up to 85°C suitable for making tea or coffee

Designed for efficient cooling even in hot Indian conditions

Compact and sleek design with single faucet dispensing

Safety lock on hot water faucets

R-134a refrigerant Anti rodent power cord

CFC free eco-friendly



REFRIGERANT

R-134a (Non CFC)

POWER SUPPLY

Voltage: 230 V AC Frequency: 50 Hz 1 Phase AC

POWER CONSUMPTION

₩ 100 W 0 500 W

RATE OF

COOLING/HEATING

USHA LAGUNA

₩3L/h 05L/h

STORAGE CAPACITY

₩ 3.5 L

⊘1 L

DISCOVER CONTACTLESS AND DIGITAL TECHNOLOGY... that is way ahead of it's time

USHA WATER DISPENSER NEW RANGE



USHA WATER COOLER NEW RANGE



